1954 APPLIED HYDRAULICS Editorial Index

ACCUMULATOR CIRCUITS

Accumulator Circuit Reduces Operating Temperature and Gives Constant Cycle Time
By C. B. Blake and A. M. Steel — June p 60

Accumulator Cut-Out Circuit Reduces Fire Hazard
By Jack E. Bullen — Oct. p 116

A New Approach to the Design of Central Hydraulic Systems
By William W. Lytle — May p 72

How to Prevent Hydraulic Shock on Mobile Equipment
By Lee Drasin and Walter Stampfl — Oct. p 72

3 Pressure Switch Controlled Accumulator Circuits
By Rupert P. Esser — June p 68

ASSOCIATION and TECHNICAL MEETINGS

National Conference on Industrial Hydraulics 1954 — Oct. p 63

National Fluid Power Association Meeting — June p 110

NCIH Holds Outstanding 10 Anniversary Meeting — Dec. p 76

1954 Fall Meeting of The National Fluid Power Association — Nov. p 76

Report of the Machine Tool Hydraulics Forum — July p 78

SAE Aircraft Meetings — June p 92

Summaries of NCIH Technical Papers — Oct. p 66

10th Annual Hydraulics Conference — Aug. p 48

10th National Conference on Industrial Hydraulics — Sept. p 59

AUTOMATIC MACHINERY

Control Circuits for Fluid Powered Work Transfers — July p 55

Mechanical Design for Transfer Devices
By Frank Zagar — July p 58

Oil Powered Robot Does the Work of Many Hands
By Bruce Barton and Jack K. Grimm — Oct. p 92

What's So New About Automation? — July p 53

AVIATION APPLICATIONS

Brake Design for Jet Aircraft Gives Split-Second Response
By Joseph N. Steinmetz, Jr. — June p 86

Design of a Hydraulically Operated Aircraft Windshield Wiper
By C. R. Sacchini — Feb. p 53

Hydraulic Transmission for Aircraft Accessory Drives
By C. L. Sadler — Feb. p 56

Low Pressure Bleeding of Aircraft Brake Systems
By Robert Spurr — Dec. p 52

Moisture And Pressure Control in a High Pressure Pneumatic Circuit
By J. L. Dooley and H. D. Samuel — May p 100

Oil Powered Simulator Calibrates Jet Engine Fuel Controls
By W. S. Bobier, Jr. — Sept. p 86

Potential Advantages of the 5000 Psi Pneumatic System
By A. E. Schmidlin — Oct. p 118

"Power in a Smaller Package"—Evaluating 5000 Psi Hydraulic Systems
By Joseph N. Steinmetz, Jr. — Nov. p 80

Swivel Fittings for Aircraft Hydraulic Systems
By Michael Tarasewich — July p 86

Symposium on Aircraft High Temperature Static Seals — Nov. p 92

Testing Aircraft Compressors Mar. p 100

Trends in British Aircraft Pumps
By John A. Lankester — Aug. p 56

BASIC PNEUMATICS

Basic Pneumatics Section
Section III, Power And Working Elements

Air Valves Part 6 — Mar. p 78
Part 7 — Apr. p 106
Part 8 — June p 114

COMPONENT DESIGN

Back Pressure . . . How it Affects Valve Operation
By John J. Pippenger — Oct. p 85

Design of a Reciprocating Oil Intensifier
By Frederick J. Shaltz — Nov. p 55

Fan Belt Driven Hydraulic Pump
By George D. Nichols — Sept. p 94

Hydraulic Noise in Positive Displacement Pumps Part 1 Gear Pumps
By E. L. Midgette — Aug. p 41

Hydraulic Noise in Positive Displacement Pumps Part 2 Vane and Piston Pumps
By E. L. Midgette — Sept. p 66

Will 2300 GPM-3000 PSI Pumps Open New Fields? — Feb. p 45

ELECTRICAL CONTROL DESIGN

Control Circuits for Fluid Powered Work Transfers — July p 55

Electro-Pneumatic System on Induction Hardening Equipment
By Atlee M. Knorr — Oct. p 80

Hydraulic and Electric Circuitry for Machine Tools
By H. W. Brown and J. H. Smith — Dec. p 44

Shock Tests Made Safer With Electrically Controlled Circuit
By Walter Hermann, Vaughn L. Beals, Jr. and Emmett A. Witmer — Nov. p 72

3 Pressure Switch Controlled Accumulator Circuits
By Rupert P. Esser — June p 68

Valve Actuation with Rotary Solenoids Permits Compact Package Design
By Bernard B. Becker — June p 74

FEED CIRCUITS

Comparing Cam and Solenoid Operated Feed Circuits
By E. H. Gatwood — Sept. p 70

How to Put a Hydraulic Feed on a Portable Electric Drill
By Halvor E. Anderson — Oct. p 99

Hydraulic Drill Feed Design
By Paul Romine and Andrew Armstrong — June p 65

You Can Get Gentle, Smooth Motions with Low Pressure Cylinders
By Joe Clancy — Mar. p 59

Controlled Feeds and Speeds Give Constant Chip Load
By Edward Smith — Oct. p 127

FILTER APPLICATION

Where Should a Filter Be Located in a Hydraulic System — Aug. p 52

HYDRAULIC FLUIDS

High and Low Range Aniline Point — Apr. p 86

How to Prepare Circuits for Water-Base Nonflammable Fluids — Feb. p 109

Industrial Nonflammable Fluids — Mar. p 66

HYDRAULIC TRANSMISSIONS

Controlled Speed, Thrust and Torque
By Fred D. Wright and Lewis H. Brakel — Aug. p 44

Fluid Motor Drive for Rotary Cutting Tools
By Frank Zagar — Apr. p 79

1954 APPLIED HYDRAULICS Editorial Index

ACCUMULATOR CIRCUITS

Accumulator Circuit Reduces Operating Temperature and Gives Constant Cycle Time
By C. B. Blake and A. M. Steel — June p 60

Accumulator Cut-Out Circuit Reduces Fire Hazard
By Jack E. Bullen — Oct. p 116

A New Approach to the Design of Central Hydraulic Systems
By William W. Lytle — May p 72

How to Prevent Hydraulic Shock on Mobile Equipment
By Lee Drasin and Walter Stampfl — Oct. p 72

3 Pressure Switch Controlled Accumulator Circuits
By Rupert P. Esser — June p 68

ASSOCIATION and TECHNICAL MEETINGS

National Conference on Industrial Hydraulics 1954 — Oct. p 63

National Fluid Power Association Meeting — June p 110

NCIH Holds Outstanding 10 Anniversary Meeting — Dec. p 76

1954 Fall Meeting of The National Fluid Power Association — Nov. p 76

Report of the Machine Tool Hydraulics Forum — July p 78

SAE Aircraft Meetings — June p 92

Summaries of NCIH Technical Papers — Oct. p 66

10th Annual Hydraulics Conference — Aug. p 48

10th National Conference on Industrial Hydraulics — Sept. p 59

AUTOMATIC MACHINERY

Control Circuits for Fluid Powered Work Transfers — July p 55

Mechanical Design for Transfer Devices
By Frank Zagar — July p 58

Oil Powered Robot Does the Work of Many Hands
By Bruce Barton and Jack K. Grimm — Oct. p 92

What's So New About Automation? — July p 53

AVIATION APPLICATIONS

Brake Design for Jet Aircraft Gives Split-Second Response
By Joseph N. Steinmetz, Jr. — June p 86

Design of a Hydraulically Operated Aircraft Windshield Wiper
By C. R. Sacchini — Feb. p 53

Hydraulic Transmission for Aircraft Accessory Drives
By C. L. Sadler — Feb. p 56

Low Pressure Bleeding of Aircraft Brake Systems
By Robert Spurr — Dec. p 52

Moisture And Pressure Control in a High Pressure Pneumatic Circuit
By J. L. Dooley and H. D. Samuel — May p 100

Oil Powered Simulator Calibrates Jet Engine Fuel Controls
By W. S. Bobier, Jr. — Sept. p 86

Potential Advantages of the 5000 Psi Pneumatic System
By A. E. Schmidlin — Oct. p 118

"Power in a Smaller Package"—Evaluating 5000 Psi Hydraulic Systems
By Joseph N. Steinmetz, Jr. — Nov. p 80

Swivel Fittings for Aircraft Hydraulic Systems
By Michael Tarasewich — July p 86

Symposium on Aircraft High Temperature Static Seals — Nov. p 92

Testing Aircraft Compressors Mar. p 100

Trends in British Aircraft Pumps
By John A. Lankester — Aug. p 56

BASIC PNEUMATICS

Basic Pneumatics Section
Section III, Power And Working Elements

Air Valves Part 6 — Mar. p 78
Part 7 — Apr. p 106
Part 8 — June p 114

COMPONENT DESIGN

Back Pressure . . . How it Affects Valve Operation
By John J. Pippenger — Oct. p 85

Design of a Reciprocating Oil Intensifier
By Frederick J. Shaltz — Nov. p 55

Fan Belt Driven Hydraulic Pump
By George D. Nichols — Sept. p 94

Hydraulic Noise in Positive Displacement Pumps Part 1 Gear Pumps
By E. L. Midgette — Aug. p 41

Hydraulic Noise in Positive Displacement Pumps Part 2 Vane and Piston Pumps
By E. L. Midgette — Sept. p 66

Will 2300 GPM-3000 PSI Pumps Open New Fields? — Feb. p 45

ELECTRICAL CONTROL DESIGN

Control Circuits for Fluid Powered Work Transfers — July p 55

Electro-Pneumatic System on Induction Hardening Equipment
By Atlee M. Knorr — Oct. p 80

Hydraulic and Electric Circuitry for Machine Tools
By H. W. Brown and J. H. Smith — Dec. p 44

Shock Tests Made Safer With Electrically Controlled Circuit
By Walter Hermann, Vaughn L. Beals, Jr. and Emmett A. Witmer — Nov. p 72

3 Pressure Switch Controlled Accumulator Circuits
By Rupert P. Esser — June p 68

Valve Actuation with Rotary Solenoids Permits Compact Package Design
By Bernard B. Becker — June p 74

FEED CIRCUITS

Comparing Cam and Solenoid Operated Feed Circuits
By E. H. Gatwood — Sept. p 70

How to Put a Hydraulic Feed on a Portable Electric Drill
By Halvor E. Anderson — Oct. p 99

Hydraulic Drill Feed Design
By Paul Romine and Andrew Armstrong — June p 65

You Can Get Gentle, Smooth Motions with Low Pressure Cylinders
By Joe Clancy — Mar. p 59

Controlled Feeds and Speeds Give Constant Chip Load
By Edward Smith — Oct. p 127

FILTER APPLICATION

Where Should a Filter Be Located in a Hydraulic System — Aug. p 52

HYDRAULIC FLUIDS

High and Low Range Aniline Point — Apr. p 86

How to Prepare Circuits for Water-Base Nonflammable Fluids — Feb. p 109

Industrial Nonflammable Fluids — Mar. p 66

HYDRAULIC TRANSMISSIONS

Controlled Speed, Thrust and Torque
By Fred D. Wright and Lewis H. Brakel — Aug. p 44

Fluid Motor Drive for Rotary Cutting Tools
By Frank Zagar — Apr. p 79

How Mall Tool Puts Safety in Hydraulic Lines

FIRE-RESISTANT PYDRAUL F-9



How to make die-casting machines safer for operators, more efficient in production? Mall Tool, manufacturer of more than 1000 separate portable items—many of them die-cast—does it this way:

One by one, they are converting their machines to Pydraul F-9. Under test, this remarkable hydraulic fluid will not sustain flame even when sprayed into a 6000° F. oxyacetylene jet. If a hose should rupture, Pydraul would spray harmlessly into pots of liquid metal or even into furnace flames.

No wonder, no corrosion. Mall finds its make-up per machine averages 60% less with Pydraul than with ordinary fluid. Pydraul has a chemical base—not water or petroleum—and is noncorrosive to metal parts. It can be re-used again and again with no loss of lubricating characteristics.

Soon all Mall hydraulic machines will have Pydraul in their lines.

Pydraul's recent price reduction makes it more than ever the most economical fire-resistant fluid in actual use.

Write for this engineering report, "Pydraul F-9."
Organic Chemicals Division, MONSANTO CHEMICAL COMPANY, Box 478, St. Louis, Missouri.



37% less evaporation in Pydraul than in water-based fluids . . . one reason why make-up rates are many times lower with the Monsanto fluid.

Pydraul Reg. U. S. Pat. Off.

MONSANTO
CHEMICALS—PLASTICS

SERVING INDUSTRY . . .
WHICH SERVES MANKIND

1964 EDITORIAL INDEX

How to Select a Fixed Displacement Pump and Motor Drive
By Gene Roberts Nov. p 68

Hydraulic Drives for Continuous Process Industries
By Ransom Tyler July p 64

Variable Speed for Wire Covering Machine
By C. G. Ellis May p 64

Variable Speed Hydraulic Transmissions May p 63

INSTALLATION IDEAS

Mounting a Trunnion Cylinder in Limited Space
By C. B. Blake and A. M. Steel Apr. p 82

Sectionalized Panels Permit Assembly Line Techniques Mar. p 73

Shop-Built Box Former Saves $1200 a Year Dec. p 40

MACHINE CIRCUITS

Air Cylinder Powers Non-Paralleled Broaches Feb. p 40

Air and Oil Circuits Are Combined for Resistance Welding
By Leroy R. Conklin Feb. p 33

Air Pilot Circuit Actuates Sliding Stem Valve Aug. p 50

Built-In Air-Hydraulic Jacks Pay for Themselves Every Time They're Used
By George D. Becker Sept. p 57

Circuits Simplify Wire Forming Feb. p 48

Design of Hydraulic Straightening Press Assures Accessibility for Maintenance Dec. p 38

Differential Circuits
By James Tankard Sept. p 63

Don't Foul the Line
By Peter L. De Marsh Mar. p 76

Fluid Motor Drive for Rotary Cutting Tools
By Frank Zagar Apr. p 79

Fluid Power Circuits
By Paul Rolnick Jan. p 33

How to Change a Geared Planer to Oil Power
By William J. Endicott Oct. p 89

Hydraulic Control System for 6-Speed Chucking Machine
By R. C. Ebersold July p 69

Lower Machine Costs With Circuit Redesign
By Harry Mortenson July p 72

Oil Controlled Spindle Positioning Attachment
By Karl Schubert Oct. p 76

Oil Powered Devices Add Speed and Accuracy to Thread Millers Sept. p 69

Oil Powered Rotary Actuator Solves a Positioning Problem June p 82

Problem Clinic—Proper Valve Selection Eliminates Motions Apr. p 140

Proper Hydraulic Circuit Design Can Reduce Fire Hazards May p 78

Replenishing Circuit Keeps Series Connected Cylinders in Step Oct. p 96

Safe Cut-Off Control Is Provided by Seven Air Valves
By Wesley Grotewohl Oct. p 100

Sequence Control on Multiple Spot Welders
By John Sant June p 63

Two Pump System Provides Synchronized Motion
By L. Arthur Lasrman Sept. p 60

MAINTENANCE METHODS

Air Powered Lube System Protects Conveyor Lines
By Carl S. Abbott Dec. p 48

How to Care for Hydraulic Oils
By John R. McCoy Nov. p 64

Industrial Hydraulic Training Programs Oct. p 144

Maintenance Hints Will Increase Component Life Aug. p 40

MATERIAL HANDLING APPLICATIONS

Air Circuit Controls Transfer Device
By George R. McKee Apr. p 66

After two years of research

A **RELIEF VALVE** THAT **DOESN'T LEAK!**

- In-line design
- Adjustability that can't be tampered with
- Excellent flow characteristics
- Precise operating reliability
- Suitable for almost any gas or liquid

Send for information today..... ☐

CIRCLE SEAL *precision valves*

Representatives in Principal Cities.

JAMES·POND·CLARK

2181 East Foothill Blvd · Pasadena 8, California

Fill in No. 49 on Reader Service Card



YES—AND YOU CAN'T BEAT IT FOR QUALITY!

Air-Mite Air Arbor Press Features

- **Solid Steel Column — greater strength, rigidity**
- **Brass Cylinder, Aluminum End Castings, Neoprene Piston Cups**
- **Accurately ground 5" x 5" table**
- **Quick set-up rod stroke adjustment for maximum flexibility**

You get more for your money when you choose AIR-MITE—more press, more utility and more production. Built by air press specialists to meet the demand for a low cost unit that could stand the gaff of high production work, AIR-MITE presses will show you quality, efficiency and economy you never thought possible at their price. Made in ¼, ½, ¾ and 1 ton capacities with spring or air return.

Write for complete catalog on AIR-MITE Presses and Air Cylinders.

NEED A SPECIAL PRESS? Many special adaptations of AIR-MITE Presses are available. Write us your needs.

AIR-MITE Devices, Inc.

4415 W. CARROLL AVENUE • CHICAGO 24, ILLINOIS

Fill in No. 3 on Reader Service Card

Need Special Service on a Tubing Problem?

•

Call or Write

Summerill Tubing Division
Columbia Steel & Shafting Co.
PITTSBURGH 30, PA.

•

Manufacturers of
Cold Drawn Seamless Steel Tubing

HYDRAULIC TUBING • PRESSURE TUBING
CONDENSER TUBING • MECHANICAL TUBING
DIESEL ENGINE TUBING • AIRCRAFT TUBING
SPECIAL SHAPES

Extend O-Ring Service Life

Shamban KELON-T (Teflon*) spiral, chamfered back-up rings improve performance by preventing extrusion and reducing friction. Spiral back-ups, heat-resistant, non-corrosive and chemically-inert, are specified for adverse environmental conditions. Shamban's back-ups are produced to the latest Military Standards MS 28782 and MS 28783. For added convenience and protection, they are packaged on mandrels in tubular containers.



*Du Pont Trade-mark

KELON **W. S. SHAMBAN & CO.**
11617 West Jefferson Blvd. Culver City, Calif.

What a sight!
CENTURY'S All-new Oil Level Sight Gage

No Easier Installation Ever Designed

Better Visibility at any Height

Streamlined Modern Appearance

Leak-proof —No Dripping

Important Savings in COST

Available NOW From STOCK!

Inquire today . . . make immediate use of the sensational advantages in cost and services offered by this new gage . . .

CENTURY HYDRAULICS, INC.
8866 GREENFIELD — DETROIT 28, MICHIGAN

1964 EDITORIAL INDEX

Air Operated Turnover Pays Off in 11 Weeks July p 62

Air Powered Jig Tilts and Turns for Packaging Operation June p 76

Air Powered Strapping Machine Reduces Handling Costs May p 92

MOBILE EQUIPMENT

Chain Linkages for Hydraulically Powered Machines May p 67

Controlled Speed, Thrust And Torque
By Fred D. Wright and Lewis H. Brakel Aug. p 44

Fluid Lines and Fittings for Mobile Equipment
By J. E. Jass Feb. p 41

High Pressure Hydraulic Control on Mobile Equipment May p 80

How to Prevent Hydraulic Shock on Mobile Equipment
By Lee Drasin and Walter Stampfl Oct. p 72

Valve Actuation with Rotary Solenoids Permits Compact Package Design
By Bernard B. Becker June p 74

PACKINGS

Bonded Seals . . . How and Where to Use Them
By John Lankester May p 69

Mechanical Seals for Hydraulic Equipment
By J. B. Stevens and Harold F. Griener June p 70

Packing Cartridge for a Telescoping Cylinder Sept. p 76

Spring Loaded Packings
By James M. Bradbury Oct. p 124

The "O" Ring Spiral Failure Problem Mar. p 90

PRESS INSTALLATIONS

Can Shop-Built Air Presses Assemble Your Product?
By Tom Jeffrey Apr. p 74

Floating Cushion Protects Dies from Overload
By Robert Soman Apr. p 92

Inverted Press Design Simplifies Use of Auxiliary Cylinders Aug. p 35

Press Revamp Uses Air-Oil Booster June p 80

Pump Control System for Large Press Installation
By C. B. Blake and A. M. Steel Mar. p 74

Simplified Valving
By Louis Zimmerman Feb. p 37

Single Stroke Compacting Press . . . New Ram Application
By C. C. Fishburne Oct. p 106

Two-Pressure Circuit Uses Pilot Controlled Relief Valve
By Hadley Kline and Henry Green Sept. p 74

Want Faster Operation? Use Air Circuits Mar. p 70

SERVO SYSTEMS

An Electro-Hydraulic Servo Pump
By Norton Williams Mar. p 63

Master and Slave Circuits for Remote Positioning
By Edmund L. Nichols Nov. p 57

Servo Controlled Power Cylinder Positions the Load
By Walter C. Carruth, Jr. Oct. p 112

Two Pump Metering Circuit Solves Costly Control Problem
By C. W. Vokac Dec. p 33

SPECIAL PLANT EQUIPMENT

Air Devices Assure Accuracy for Blending Materials
By Fred G. Herr May p 84

Electro-Pneumatic System on Induction Hardening Equipment
By Atlee M. Knorr Oct. p 80

Remotely Controlled Hydraulics Positions "Hot" Materials in Radiation Lab.
By Charles M. George Aug. p 33

SYSTEM PLUMBING

Fluid Lines and Fittings for Mobile Equipment
By J. E. Jass Feb. p 41



GRIPPING FORCE 15 TIMES AIR LINE PRESSURE

Speedy Air Vise helps you do dozens of operations faster, better, cheaper—by air pressure! Foot control valve opens and shuts vise instantly, leaving *both* hands free to produce more! Jaw opens up to 3 inches, holds castings, parts, jigs, etc. Compact and trouble-free.

Complete with Foot Control, Air Hose and Fittings.....only **$36.00**

Prompt Delivery from Your Supplier or Write Direct

W. H. BROWN CORPORATION • 2055 N. Kenmore Ave. • Chicago 14, Ill.

AIR REGULATORS • AIR MOTORS • AIR GUNS • PORTABLE COMPRESSORS

A New Gresen Product

DIFFERENTIAL RELIEF VALVE

Of Greater Capacity

Model D75

The Quality Valve At Mass Production Prices.

Features

★ Grey Cast Iron Body

★ Hardened Steel Plunger and Seat

★ Smooth Operating Pressure Regulating Screw

★ Light Spring Has Long Life and Low Stress

Pressure Range: 50 to 1250 P.S.I.
Capacity: 24 G.P.M. @ 15 ft/sec

Relief valve of smaller capacity available in our Model DR75.

Write for Literature

GRESEN MANUFACTURING CO.

628 Colfax Ave. N. Dept. H-93 Minneapolis 11, Minn.

Hydraulic Hose . . . Construction . . . Selection . . . Application
By J. A. Muller Aug. p 37

TEST EQUIPMENT

Circuit Design for Shop-Built Test Stand to Check Pressure and Flow
By J. A. Ackermann May p 76

Design of an Aircraft Pump Test Stand
By Roland N. Crossley Apr. p 102

High Pressure Testing of Air and Oil Cylinders June p 78

Hydraulic Test Circuit for Jet Aircraft Exhaust Nozzle Actuation
By Andrew J. Auld, Jr. Mar. p 96

Layout and Instrumentation for Testing Triplex Pumps
By J. E. Davee Sept. p 80

Portable Test Stand Construction for Checking Pneumatic Tools Nov. p 62

Republic Opens High Temperature Lubricant Laboratory Aug. p 66

Standardizing Test Equipment
By Julius Kendall May p 106

Testing Pneumatics and Hydraulic Components
By Harry P. Kupiec Apr. p 94

TOOLING APPLICATION

Air Actuated Brazing Setup Gives Cycle Control and Protection
By Andrew M. Damer Apr. p 64

Air Operated Devices Speed Machine Loading Dec. p 72

Air Power Clamps then Ejects Small Parts
By T. Baxter and C. Spicer Apr. p 84

Complicated Bar Bending with Hydraulic Power Dec. p 41

Fluid Power for Better Tooling Apr. p 63

Hydraulic Piercing Tools Increase Production 400% Apr. p 71

Ideas for Reducing Operating Costs of Air Powered Tooling Apr. p 76

Is Your Hydraulic Tooling Safe?
By H. L. Stewart Apr. p 68

23 Screws Are Tightened and Staked During an Automatic Cycle Apr. p 73

AUTHOR INDEX

Abbott, Carl S.
Air Powered Lube System Protects Conveyor Lines Dec. p 48

Ackerman, J. A.
Circuit Design for Shop-Built Test Stand to Check Pressure And Flow May p 76

Anderson, Halvor E.
How to Put a Hydraulic Feed on a Portable Electric Drill Oct. p 99

Armstrong, Andrew and Paul Romine
Hydraulic Drill Feed Design June p 65

Auld, Andrew J. Jr.
Hydraulic Test Circuit for Jet Aircraft Exhaust Nozzle Actuation Mar. p 96

Barton, Bruce and Jack K. Grimm
Oil Powered Robot Does the Work of Many Hands Oct. p 92

Baxter, T. and C. Spicer
Air Power Clamps then Ejects Small Parts Apr. p 84

CHEMISEAL PACKINGS
MADE OF TEFLON
Impervious to All Hydraulic Fluids

Chemiseal packings — made of duPont TEFLON — have zero swelling in all hydrocarbons and new synthetic hydraulic fluids and solvents. Service temperature range from minus 110° F to plus 500° F. They are unsurpassed in anti-friction properties, waterproof, non-flammable, long wearing. Because chemically impervious — chemical inspections can be eliminated. Regarded by commercial and military engineers as the finest hydraulic packing for plane or plant.

CHEMISEAL V-TYPE PACKING

Try Chemiseal V-type packings of pure TEFLON for hydraulic valves. Seal with low gland pressure and operating torque. Extremely resilient, tough, anti-hesive—they are ideal for either manual or automatically operated valves. Supplied in sets with square-end TEFLON adaptors. Ask for Catalog TP-1053.

CHEMISEAL BACK-UP RINGS

Try Chemiseal back-up rings of pure TEFLON. They greatly lengthen "O" ring life and prevent extrusion. Available in solid, split and the spiral type, preferred by engineers. All commercial and AN sizes for "O" ring packings, gaskets and universal fittings. Write for Catalog OB-1152.

OTHER CHEMISEAL HYDRAULIC PACKINGS

Other United States Gasket Company engineered packings include "U" Rings, Cup Packings and Flange Packing—all made of pure duPont TEFLON with the same ideal characteristics of corrosion resistance, long life, zero swelling, extreme anti-hesiveness, and wide service temperature range. Write for further information.

UNITED STATES GASKET COMPANY
CAMDEN 1 • NEW JERSEY
FABRICATORS OF DuPONT TEFLON

1954 EDITORIAL INDEX

Beals, Vaughn L. Jr., Walter Hermann, and Emmett A. Witmer
Shock Tests Made Safer with Electrically Controlled Circuit Nov. p 72

Becker, George B.
Built-In Air-Hydraulic Jacks Pay for Themselves Every Time They're Used Sept. p 57

Becker, Bernard B.
Valve Actuation with Rotary Solenoids Permits Compact Package Design June p 74

Blake, C. B. and A. M. Steel
Accumulator Circuit Reduces Operating Temperature and Gives Constant Cycle Time June p 60

Blake, C. B. and A. M. Steel
Pump Control System for Large Press Installation Mar. p 74

Blake, C. B. and A. M. Steel
Mounting a Trunnion Cylinder in Limited Space Apr. p 82

Bradbury, James M.
Spring Loaded Packings Oct. p 124

Brakel, Lewis H. and Fred D. Wright
Controlled Speed, Thrust and Torque Aug. p 44

Brown, H. W. and J. H. Smith
Hydraulic and Electric Circuitry for Machine Tools Dec. p 44

Bullen, Jack E.
Accumulator Cut-Out Circuit Reduces Fire Hazard Oct. p 116

Carruth, Walter C., Jr.
Servo Controlled Power Cylinder Positions the Load Oct. p 112

Clancy, Joe
You Can Get Gentle, Smooth Motions with Low Pressure Cylinders Mar. p 59

Conklin, Leroy R.
Air and Oil Circuits Are Combined for Resistance Welding Feb. p 33

Crossley, Roland N.
Design of an Aircraft Pump Test Stand Apr. p 102

Damer, Andrew M.
Air Actuated Brazing Setup Gives Cycle Control And Protection Apr. p 64

Davee, J. E.
Layout and Instrumention for Testing Triplex Pumps Sept. p 80

De Marsh, Peter L.
Don't Foul the Line Mar. p 76

Dooley, J. L. and H. D. Samuel
Moisture and Pressure Control in a High Pressure Pneumatic Circuit May p 100

Drasin, Lee and Walter Stampfl
How to Prevent Hydraulic Shock on Mobile Equipment Oct. p 72

Ebersold, R. C.
Hydraulic Control System for 6-Speed Chucking Machine July p 69

Ellis, C. G.
Variable Speed for Wire Covering Machine May p 64

Endicott, William J.
How to Change a Geared Planer to Oil Power Oct. p 89

Esser, Rupert P.
3 Pressure Switch Controlled Accumulator Circuits June p 68

Garwood, E. H.
Comparing Cam and Solenoid Operated Feed Circuits Sept. p 70

George, Charles M.
Remotely Controlled Hydraulics Positions "Hot" Materials in Radiation Lab Aug. p 33

Green, Henry and Hadley Kline
Two-Pressure Circuit Uses Pilot Controlled Relief Valve Sept. p 74

Griener, Harold F. and J. B. Stevens
Mechanical Seals for Hydraulic Equipment June p 70

Fishburne, C. C.
Single Stroke Compacting Press . . . New Ram Application Oct. p 106

Grimm, Jack K. And Bruce Barton
Oil Powered Robot Does the Work of Many Hands Oct. p 92

NICHOLSON

VALVES for Air & Fluid Power



Style E 4-Way

Solenoid, Motor, Lever, Foot types for every medium

Nicholson furnishes valves for cylinder control, distributing, metering and for many special operating cycles. Installations in a wide range of plants have been in constant service for well over 25 years. In addition to their long wear and minimum maintenance, Nicholson valves feature: specially treated hard seats and lapping flat discs which actually become tighter with use; choice of 6 metal combinations to suit your specific service; positive protection against grit. Sizes, ⅛" to 2½". Pressures up to 5000 lbs.

Send for Catalog

W. H. NICHOLSON & CO.

TRAPS · VALVES · FLOATS

213 Oregon St., Wilkes-Barre, Pa.

COMPRESSED AIR AND GAS COME OUT OF THE LOGAN

ARIDIFIER

Scrubbed CLEAN AND DRY

INSTALL ARIDIFIERS ON LINES SERVING

- Paint Spray Guns
- Air Tools
- Air Hoists
- Foundry Jolting Machines
- Sand Blasting Tools
- Sand Blasting Rooms
- Metal Spray Guns . . . or Wherever the line must deliver clean, dry air or gas

On any air or gas line 92% of the dirt, oil, scale and water that enter the Aridifier is trapped and removed from circulation. The Aridifier's patented centrifugal-baffle action scrubs air and gas clean and dry . . . protects equipment, prevents freezing, fouling, corrosion and caking, produces best results with spray gun and air tool operations, etc. Easy to install. Self cleaning. Maintains itself. 10 models available. Capacity 7 CFM to 17,000 CFM.

Learn HOW the Aridifier scrubs with a patented centrifugal-baffle action.

Write for This Catalog Now!



Logan ENGINEERING CO.

4920 W. Lawrence Ave., Chicago 30, Ill.

Fill in No. 68 on Reader Service Card

Fill in No. 58 on Reader Service Card


RACINE
RACINE
RACINE

1954 EDITORIAL INDEX

Grotewohl, Wesley
Safe Cut-Off Control Is Provided by Seven Air Valves Oct. p 100

Herr, Fred G.
Air Devices Assure Accuracy for Blending Materials May p 84

Hermann, Walter, Vaughn L. Beals, Jr., and Emmett A. Witmer
Shock Tests Made Safer with Electrically Controlled Circuit Nov. p 72

Jass, J. E.
Fluid Lines and Fittings for Mobile Equipment Feb. p 41

Jeffrey, Tom
Can Shop-Built Air Presses Assemble Your Product? Apr. p 74

Kendall, Julius
Standardizing Test Equipment May p 106

Kline, Hadley and Henry Green
Two-Pressure Circuit Uses Pilot Controlled Relief Valve Sept. p 74

Knorr, Attlee M.
Electro-Pneumatic System on Induction Hardening Equipment Oct. p 80

Kupiec, Harry P.
Testing Pneumatics and Hydraulic Components Apr. p 94

Lankester, John A.
Bonded Seals . . . How and Where to Use Them May p 69

Lankester, John A.
Trends In British Aircraft Pumps Aug. p 56

Lassman, L. Arthur
Two Pump System Provides Synchronized Motion Sept. p 60

Lytle, William W.
A New Approach to the Design of Central Hydraulic Systems May p 72

McCoy, John R.
How to Care for Hydraulic Oils Nov. p 64

McKee, George R.
Air Circuit Controls Transfer Device Apr. p 66

Midgette, E. L.
Hydraulic Noise in Positive Displacement Pumps
Part 1 Gear Pumps Aug. p 41
Part 2 Vane and Piston Pumps Sept. p 66

Mortenson, Harry
Lower Machine Costs with Circuit Redesign July p 72

Miller, J. A.
Hydraulic Hose . . . Construction . . . Selection . . . Application Aug. p 37

Nichols, Edmund L.
Master and Slave Circuits for Remote Positioning Nov. p 57

Nichols, George D.
Fan Belt Driven Hydraulic Pump Sept. p 94

Pippenger, John J.
Back Pressure . . . How it Affects Valve Operation Oct. p 85

Roberts, Gene
How to Select a Fixed Displacement Pump and Motor Drive Nov. p 68

Rolnick, Paul
Fluid Power Circuits Jan. p 33

Romine, Paul and Andrew Armstrong
Hydraulic Drill Feed Design June p 65

Sacchini, C. R.
Design of a Hydraulically Operated Aircraft Windshield Wiper Feb. p 53

Sadler, C. L.
Hydraulic Transmission for Aircraft Accessory Drives Feb. p 56

Samuel, H. D. and J. L. Dooley
Moisture and Pressure Control in a High Pressure Pneumatic Circuit May p 100

Sant, John
Sequence Control on Multiple Spot Welders June p 63

Schmidlin, A. E.
Potential Advantages of the 5000 Psi Pneumatic System Oct. p 118

Schubert, Karl
Controlled Spindle Positioning Attachment Oct. p 76

Shaltz, Frederick J.
Design of a Reciprocating Oil Intensifier Nov. p 55

"MONOBALL"
Self-Aligning Bearings

	ANALYSIS	RECOMMENDED USE
1	Stainless Steel Ball and Race	For types operating under high temperature (800-1200 degrees F.).
2	Chrome Molly Steel Ball and Race	For types operating under high radial ultimate loads (3000-893,000 lbs.).
3	Bronze Race and Chrome Molly Steel Ball	For types operating under normal loads with minimum friction requirements.

Thousands in use. Backed by years of service life. Wide variety of Plain Types in bore sizes 3/16" to 6" Dia. Rod end types in similar size range with externally or internally threaded shanks. Our Engineers welcome an opportunity of studying individual requirements and prescribing a type or types which will serve under your demanding conditions. Southwest can design special types to fit individual specifications. As a result of thorough study of different operating conditions, various steel alloys have been used to meet specific needs. Write for revised Engineering Manual describing complete line. Address Dept. AH-54

SOUTHWEST PRODUCTS CO.
1705 So. Mountain Ave. • Duarte, California
LOS ANGELES COUNTY



New Improved Greer Cutout Valve Protects Your Expensive Gauges Meters and Instruments

Now get low-cost, positive protection that never needs watching. The new improved Greer Cutout Valve automatically blocks line pressures that exceed the operating range of the gauge insuring against damage or breakage. The valve reopens only when the pressure drops to the normal range of the gauge. This eliminates manual operation of shut-off valves saving you costly man-hours.

Available in pressure ranges from 10 psi to 5,000 psi. Interchangeable springs convert valve from one pressure range to another easily. Greer Cutout Valves pay for themselves quickly. For low-cost protection, call Greer today.

GREER HYDRAULICS INC.
International Airport • Jamaica 30, N. Y.

Fill in No. 88 on Reader Service Card

Fill in No. 109 on Reader Service Card

Smith, Edward
Controlled Feeds and Speeds Give Constant Chip Load Oct. p 127

Smith, J. H. and H. W. Brown
Hydraulic and Electric Circuitry for Machine Tools Dec. p 44

Soman, Robert
Floating Cushion Protects Dies from Overload Apr. p 92

Spicer, C. and T. Baxter
Air Power Clamps then Ejects Small Parts Apr. p 84

Spurr, Robert
Low Pressure Bleeding of Hydraulic Systems Dec. p 52

Stampfl, Walter and Lee Drasin
How to Prevent Hydraulic Shock on Mobile Equipment Oct. p 72

Steel, A. M. and C. B. Blake
Accumulator Circuit Reduces Operating Temperature and Gives Constant Cycle Time June p 60

Steel, A. M. and C. B. Blake
Pump Control System for Large Press Installation Mar. p 74

Steel, A. M. and C. B. Blake
Mounting a Trunnion Cylinder in Limited Space Apr. p 82

Steinmetz, Joseph N. Jr.
Brake Design for Jet Aircraft Gives Split-Second Response June p 86

Steinmetz, Joseph N. Jr.
"Power in A Smaller Package"—Evaluating 5000 Psi Hydraulic Systems Nov. p 80

Stevens, J. B. and Harold F. Griener
Mechanical Seals for Hydraulic Equipment June p 70

Stewart, H. L.
Is Your Hydraulic Tooling Safe? Apr. p 68

Tankard, James
Differential Circuits Sept. p 63

Tarasewich, Michael
Swivel Fittings for Aircraft Hydraulic Systems July p 86

Tyler, Ransom
Hydraulic Drives for Continuous Process Industries July p 64

Vokac, C. W.
Two Pump Metering Circuit Solves Costly Control Problem Dec. p 33

Williams, Norton
An Electro-Hydraulic Servo Pump Mar. p 63

Witmer, Emmett A., Walter Hermann, and Vaughn L. Beals, Jr.
Shock Tests Made Safer with Electrically Controlled Circuit Nov. p 72

Woodling, George V.
Patents, Trademarks and Copyrights Sept. p 72

Wright, Fred D. and Lewis H. Brakel
Controlled Speed, Thrust and Torque Aug. p 44

Zagar, Frank
Fluid Motor Drive for Rotary Cutting Tools Apr. p 79

Zagar, Frank
Mechanical Design for Transfer Devices July p 58

Zimmerman, Louis
Simplified Valving Feb. p 37

Enter Now

1955 APPLIED HYDRAULICS MAGAZINE

Prize Paper Contest

$1200 IN CASH AWARDS

You can win one of the cash awards being offered in the 3rd annual APPLIED HYDRAULICS Magazine Prize Paper Contest. Anyone who uses, designs, builds or maintains pneumatic or hydraulic machines or equipment can enter this contest.

HERE'S WHAT YOU CAN WIN:

1st PRIZE	2nd PRIZE	3rd PRIZE	4th through 7th
$500	$300	$200	Prizes $50

. . . and all other papers judged as meriting publication will be paid for and published in APPLIED HYDRAULICS.

WHAT KIND OF ARTICLE?

Your copies of APPLIED HYDRAULICS are the best guide for the type of article and presentation. To learn what the judges in 1953 and 1954 considered as prize winners, take a look at the October 1953 and October 1954 issues.

HOW DO YOU ENTER?

Write to the APPLIED HYDRAULICS Prize Paper Contest Editor for an entry blank. We'll send you a blank and suggestions to help prepare your article. To win a cash award, your article must be mailed by June 1st, 1955.

Write today for your entry blank—APPLIED HYDRAULICS, 1240 Ontario, Cleveland 13, Ohio